

NIGHTSTICK®

Life Depends on Light™



Innovation By
BAYCO

NIGHTSTICK[®]

Life Depends on Light[™]

The Most Significant Professional Flashlight Innovation in Over 30 Years

Dual-Mode Multi-Function[™]

NIGHTSTICK[™] represents the next generation in professional, industrial and consumer flashlights, incorporating the BAYCO exclusive Flashlight • Floodlight • Dual-light capability.

Developed by Bayco, the leader in LED task lighting solutions, NIGHTSTICK incorporates cutting edge LED and battery technology providing public safety and industrial professionals with high quality, exceptionally bright and reliable hand-held illumination. That same technology is adapted for consumers to provide the best flashlight for home, recreation and personal lighting for life's emergencies.

At Bayco the safety of our professional and consumer customers is paramount, that's why we believe that

Life Depends On Light[™]


Flashlight



Floodlight




Dual light



RELIABILITY • UTILITY • MAXIMUM SAFETY

NIGHTSTICK is all LED for maximum reliability; floodlight for utility and dual-light for increased personal safety zone.

NIGHTSTICK combines brilliant white-light LEDs, that are unaffected by impact, have a life up to 50,000 hours and illuminate the object with no color distortion.



NIGHTSTICK rechargeables are powered by a fast charging, high quality Nickel Metal Hydride (NiMH) battery pack with nearly twice the energy capacity of NiCad. The pack is Earth Friendly eliminating disposal problems and has no re-charge memory effect. Replaceable battery powered lights use proven and readily available alkaline batteries.

The distinctive shapes, styles, packaging, configurations and overall appearances of Bayco products are trademarks of Bayco. The unique LED configuration, body and case shapes inherently identify them as members of the Bayco brand product portfolio. Multiple patents pending.

Bayco Innovation at Work

Our dedicated engineering teams continually seek out innovative technical solutions that focus on maximizing user safety and operating utility. NIGHTSTICK delivers powerful bright white light output, very long run-times and dual-mode multi-function capability.

Bayco's 110,000 square foot North Texas facility is home to research and development, marketing, sales and distribution operations. Bayco has dedicated sales offices and manufacturing in the USA and abroad.

Our growing patent portfolio is a cornerstone business asset demonstrating our commitment to lighting innovation that provides our professional and consumer customers the highest quality products to make their lives safer.

For more information about NIGHTSTICK and to purchase visit, www.nightstick.biz or contact Sales at 800-233-2155 or sales@baycoproducts.com





9850

- Dual-Mode Multi-Function™
- Flashlight • Floodlight • Dual-light
- Anti-roll Tri-Lobal design
- Bright LEDs • 50,000 hour life
- Microprocessor controlled
- Impact and chemical resistant housing
- Rechargeable
- Replaceable high quality NiMH battery pack
- 3 hour charge time
- AC & DC adapters included
- 2 year warranty • Limited Lifetime*
- Accessories available

9800 Series

Standard

NSR-9850

- 300 Lumens flashlight
- 400 Lumens floodlight
- Vehicle Mount
- Multi-Shift and Multi-Purpose
- Up to 18 hours run-time depending on mode
- Moisture resistant
- Length: 13.6 in.
- Weight: 28.0 oz.



Flashlight



Floodlight



Dual light

9850



Made in the USA



The best selection of domestic and imported components.

NIGHTSTICK
Life Depends on Light™



9810/11/12



- Dual-Mode Multi-Function™
- Flashlight • Floodlight • Dual-light
- Anti-roll Tri-Lobal design
- Bright LEDs • 50,000 hour life
- Microprocessor controlled
- Impact and chemical resistant housing
- Rechargeable
- Replaceable high quality NiMH battery pack
- 3 hour charge time
- AC & DC adapters included
- Accessories available

9800 Series

Standard

NSR-9810/11/12

- 160 Lumens flashlight
- 200 Lumens floodlight
- Run-time 6 hrs. flashlight, 5 hrs. floodlight, 2 hrs. both
- Vehicle mount included
- Waterproof to 3 feet (IP-67)
- Length: 9.6 in.
- Weight: 10.6 oz

NSR-9810

- Dual-switch control • Body switch • Primary
- Auto-strobe
- 2 year warranty • Limited Lifetime*

NSR-9811

- Dual-switch control • Tail switch • Primary
- Auto-strobe
- 2 year warranty • Limited Lifetime*

NSR-9812

- Single-switch control
- 2 year warranty • Limited Lifetime*



Made in the USA



The best selection of domestic and imported components.


NIGHTSTICK
Life Depends on Light™



9860



- ▶ Dual-Mode Multi-Function™
- ▶ Flashlight • Floodlight • Dual-light
- ▶ Anti-roll Tri-Lobal design
- ▶ Bright LEDs • 50,000 hour life
- ▶ Microprocessor controlled
- ▶ Impact resistant housing
- ▶ Rechargeable
- ▶ Replaceable high quality NiMH battery pack
- ▶ 3 hour charge time
- ▶ AC & DC adapters included
- ▶ 1 year warranty • Limited Lifetime*
- ▶ Accessories available



9850

9800 Series

Intrinsically Safe

- ▶ UL approved
- ▶ Class 1, Div 1&2, Groups C&D
- ▶ 240 Lumens flashlight
- ▶ 320 Lumens floodlight
- ▶ Up to 18 hours run-time depending on mode
- ▶ Moisture resistant
- ▶ Length: 13.6 in.
- ▶ Weight: 28.0 oz.

XPR-9860

- ▶ Chemical proof housing

XPR-9850

- ▶ Chemical resistant housing



Made in the USA



The best selection of domestic and imported components.

NIGHTSTICK
Life Depends on Light™



9820



9800 Series

Intrinsically Safe

- ▶ UL approved
- ▶ Class I, Div 1&2, Groups C&D
Class II, Div 1&2, Groups E,F,G
Class III, Div 1&2
- ▶ 160 Lumens flashlight
- ▶ 200 Lumens floodlight
- ▶ Run-time 6 hrs. flashlight, 5 hrs. floodlight, 2 hrs. both
- ▶ Waterproof to 3 feet (IP-67)
- ▶ Length: 9.6 in.
- ▶ Weight: 10.6 oz.

XPR-9820

- ▶ Chemical proof housing

XPR-9810

- ▶ Chemical resistant housing

- ▶ Dual-Mode Multi-Function™
- ▶ Flashlight • Floodlight • Dual-light
- ▶ Anti-roll Tri-Lobal design
- ▶ Bright LEDs • 50,000 hour life
- ▶ Microprocessor controlled
- ▶ Impact resistant housing
- ▶ Rechargeable
- ▶ Replaceable high quality NiMH battery pack
- ▶ 3 hour charge time
- ▶ AC & DC adapters included
- ▶ 1 year warranty • Limited Lifetime*
- ▶ Accessories available

9810



Made in the USA



The best selection of domestic and imported components.

Chemical Resistance

Housing and Lenses

SOLVENCY

	9860/9820 Chemical Proof	9850/9810 Chemical Resistant	ABS Chemical Resistant
ORGANIC SOLVENTS			
Heptanes	X		
Acetone	X		
Methyl Ethyl Ketone (MEK)	X		
Ethyl Acetate	X		
Methylene Chloride	X		
Ethylene Glycol	X		
AROMATICS			
Benzene	X		
BASES			
Ammonium Hydroxide	X		
Potassium Hydroxide	X	X	
Sodium Hydroxide	X	X	X
ACIDS			
Hydrochloric Acid	X	X	X
Sulfuric Acid	X	X	
Acetic Acid	X	X	
ALCOHOLS			
Ethyl Alcohol	X		
Methyl Alcohol	X	X	
Isopropyl Alcohol	X	X	
HALOGENATED HYDROCARBONS			
Freon's: TF f & TE	X	X	
AUTOMOTIVE LIQUIDS			
Gasoline	X	X	
Gasohol	X	X	
Diesel Fuel	X	X	
Kerosene	X	X	
Antifreeze	X	X	
Hydraulic Fluid	X	X	
Transmission Fluid	X	X	
Lubricants	X	X	X
Bug and Tar Remover	X	X	X
OTHERS			
Mild Soap Solutions	X	X	X
Turpentine	X	X	
Naphtha	X	X	
Salt Solution	X	X	X
Cola	X	X	X

All NIGHTSTICK dual-mode multi-function lights utilize housings made from advanced engineered polymers. This approach allows for maximum design flexibility where size, shape and weight are optimized to produce a professional lighting product that is ergonomic in shape while providing high resistance to impact and exceptional resistance to chemicals.

Engineered polymers are more technically advanced than conventional metal tube housings which are susceptible to housing distortion due to denting. NIGHTSTICK intrinsically safe models are offered in chemical proof or chemical resistant housings.

The NIGHTSTICK chemical resistance chart shows the product's resistance to various chemicals with increasing solvency (the ability to affect the integrity of the housing).

WORKPLACE APPLICATION EXAMPLES

Chemical Proof

- Aviation fuel cell inspection and maintenance
- Chemical production and storage tank inspection and maintenance
- Manufacturing processes utilizing high-solvency chemicals

Chemical Resistant

- Automotive repair and maintenance
- Manufacturing processes utilizing low-solvency chemicals
- Any application where high-solvency chemicals are not present

This information is intended as a guide only.



2382

2372

2392



Flash light



Flood light



Dual light

- ▶ Dual-Mode Multi-Function™
- ▶ Flashlight • Floodlight • Dual-light
- ▶ Bright white LEDs • 35,000 hour life
- ▶ Small size • Light weight
- ▶ Impact and chemical resistant
- ▶ Removable hanger-hook
- ▶ Rechargeable high quality NiMH battery
- ▶ Long run-time per charge
- ▶ Home and car chargers included
- ▶ 1 year warranty

2300 Series

NSR-2372

- ▶ Flashlight: 1 LED = 25 Lumens
- ▶ Floodlight: 15 LEDs = 30 Lumens
- ▶ Run-time 3 hrs. flashlight, 6 hrs. floodlight, 2 hrs. both
- ▶ Charge time 6 hours
- ▶ Length: 8.5 in.
- ▶ Weight: 5.0 oz

NSR-2382

- ▶ Flashlight: 1 LED = 45 Lumens
- ▶ Floodlight: 30 LEDs = 60 Lumens
- ▶ Run-time 4 hrs. flashlight, 6 hrs. floodlight, 2 hrs. both
- ▶ Charge time 6 hours
- ▶ Length: 10.25 in.
- ▶ Weight: 11.0 oz

NSR-2392

- ▶ Flashlight: 1 LED = 65 Lumens
- ▶ Floodlight: 60 LEDs = 120 Lumens
- ▶ Run-time 4 hrs. flashlight, 4 hrs. floodlight, 2 hrs. both
- ▶ Charge time 4 hours
- ▶ Length: 11.5 in.
- ▶ Weight: 12.0 oz





2482

2472

2492



- ▶ Dual-Mode
- ▶ Flashlight • Floodlight
- ▶ Bright white LEDs • 35,000 hour life
- ▶ Small size • Light weight
- ▶ Safety orange housing
- ▶ Impact and chemical resistant
- ▶ Removable hanger-hook and magnet
- ▶ Rechargeable high quality NiMH battery
- ▶ Long run-time per charge
- ▶ Home and car chargers included
- ▶ 1 year warranty

2400 Series

NSR-2472

- ▶ Flashlight: 1 LED = 25 Lumens
- ▶ Floodlight: 15 LEDs = 30 Lumens
- ▶ Run-time 3 hrs. flashlight, 6 hrs. floodlight
- ▶ Charge time 6 hours
- ▶ Length: 8.5 in.
- ▶ Weight: 5.0 oz

NSR-2482

- ▶ Flashlight: 1 LED = 45 Lumens
- ▶ Floodlight: 30 LEDs = 60 Lumens
- ▶ Run-time 4 hrs. flashlight, 6 hrs. floodlight
- ▶ Charge time 6 hours
- ▶ Length: 10.25 in.
- ▶ Weight: 11.0 oz

NSR-2492

- ▶ Flashlight: 1 LED = 65 Lumens
- ▶ Floodlight: 60 LEDs = 120 Lumens
- ▶ Run-time 4 hrs. flashlight, 4 hrs. floodlight
- ▶ Charge time 4 hours
- ▶ Length: 11.5 in.
- ▶ Weight: 12.0 oz



1106

1112

1124

1136



Flashlight



Floodlight



Dual light

- ▶ Dual-Mode Multi-Function™
- ▶ Flashlight • Floodlight • Dual-light
- ▶ Pocketable • Thin shape
- ▶ Soft-touch finish
- ▶ 4 function push-button switch
- ▶ Powerful light-Anytime • Anywhere
- ▶ Bright white LEDs • 35,000 hour life
- ▶ Rugged housing
- ▶ Replaceable AAA alkaline batteries included
- ▶ Lanyard included
- ▶ 1 year warranty



1100 Series

NSP-1106

- ▶ Flashlight: 4 LEDs = 8 Lumens
- ▶ Floodlight: 6 LEDs = 12 Lumens
- ▶ 2 AAA batteries included
- ▶ Run-time 8 hrs. flashlight, 5 hrs. floodlight, 3.5 hrs. both
- ▶ Removable pocket-clip included
- ▶ Length: 4.8 in.
- ▶ Weight: 1.8 oz.

NSP-1112

- ▶ Flashlight: 1 LED = 25 Lumens
- ▶ Floodlight: 12 LEDs = 24 Lumens
- ▶ 4 AAA batteries included
- ▶ Run-time 18 hrs. flashlight, 15 hrs. floodlight, 8 hrs. both
- ▶ Removable pocket-clip included
- ▶ Length: 6.9 in.
- ▶ Weight: 3.0 oz.

NSP-1124

- ▶ Flashlight: 1 LED = 45 Lumens
- ▶ Floodlight: 24 LEDs = 48 Lumens
- ▶ 4 AAA batteries included
- ▶ Run-time 12 hrs. flashlight, 10 hrs. floodlight, 6 hrs. both
- ▶ Length: 7.9 in.
- ▶ Weight: 5.2 oz.

NSP-1136

- ▶ Flashlight: 1 LED = 65 Lumens
- ▶ Floodlight: 36 LEDs = 72 Lumens
- ▶ 4 AAA batteries included
- ▶ Run-time 12 hrs. flashlight, 7 hrs. floodlight, 5 hrs. both
- ▶ Length: 8.8 in.
- ▶ Weight: 5.7 oz.

9850 Accessories



9850 Portable
Lighting System
(Lights Not Included)



Traffic Cones
Red or Yellow



Standard Charger



Intrinsically Safe Charger



Belt Ring



Standard Battery



Intrinsically Safe Battery



Wrist Lanyard



Belt Lanyard



Clip-on Hook

9810 Accessories



Traffic Cone
Red



Traffic Cone
Yellow



Standard Charger



Intrinsically Safe Charger



Standard Battery



Intrinsically Safe Battery



Leather Holster

Innovation By
BAYCO



NIGHTSTICK[®]

Life Depends on Light[™]

Innovation By
BAYCO[®]

CAT-NS2-08